

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
ANGIOSPERMS, GYMNOSPERMS & FERNS			
Trees			
<i>Acer negundo</i> L.	Boxelder or Ash-leaf Maple (adventive seedlings)	<i>Aceraceae</i> (Maple)	native
<i>Acer saccharinum</i> L.	Maple, Silver (adventive seedlings)	<i>Aceraceae</i> (Maple)	native
<i>Carya cordiformis</i> (Wangenh.) K.Koch	Hickory, Bitternut or Pignut (adventive seedlings)	<i>Juglandaceae</i> (Walnut)	native
<i>Catalpa speciosa</i> Warder ex Engelm.	Catalpa, Northern; Catawba or Cigar Tree; Indian Bean	<i>Bignoniaceae</i> (Trumpet-creeper)	N.Am., not IA
<i>Celtis occidentalis</i> L.	Hackberry	<i>Ulmaceae</i> (Elm)	native
<i>Fraxinus pennsylvanica</i> Marshall	Ash, Green or Red (adventive seedlings)	<i>Oleaceae</i> (Olive)	native
<i>Gleditsia triacanthos</i> L.	Locust, Honey (adventive seedlings)	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Juniperus virginiana</i> L. var. <i>virginiana</i>	Redcedar, Eastern (planted trees, adventive seedlings)	<i>Cupressaceae</i> (Redwood; Cypress)	native
<i>Morus alba</i> L.	Mulberry, White or Russian or Silkworm (adventive seedlings)	<i>Moraceae</i> (Mulberry)	e.Asia
<i>Picea abies</i> (L.) H.Karst.	Spruce, Norway	<i>Pinaceae</i> (Pine)	Europe
<i>Pinus nigra</i> Arnold	Pine, Austrian	<i>Pinaceae</i> (Pine)	Europe
<i>Pinus strobus</i> L.	Pine, Eastern White or Northern White	<i>Pinaceae</i> (Pine)	native
<i>Populus deltoides</i> W.Bartram ex Marshall ssp. <i>monilifera</i> (Aiton) Eckenw.	Cottonwood, Plains (adventive suckers)	<i>Salicaceae</i> (Willow)	native
<i>Populus tremuloides</i> Michx.	Aspen, Trembling or Quaking (adventive suckers)	<i>Salicaceae</i> (Willow)	native
<i>Prunus serotina</i> Ehrh.	Cherry, Black (adventive seedlings)	<i>Rosaceae</i> (Rose)	native
<i>Prunus virginiana</i> L.	Chokecherry (adventive suckers)	<i>Rosaceae</i> (Rose)	native
<i>Quercus alba</i> L.	Oak, White or Eastern White	<i>Fagaceae</i> (Beech)	native
<i>Quercus macrocarpa</i> Michx.	Oak, Burr or Mossy-cup (adventive seedlings)	<i>Fagaceae</i> (Beech)	native
<i>Quercus rubra</i> L.	Oak, Northern Red (planted trees, adventive seedlings)	<i>Fagaceae</i> (Beech)	native
<i>Quercus velutina</i> Lam. in Lam. et al.	Oak, Black	<i>Fagaceae</i> (Beech)	native
<i>Robinia pseudoacacia</i> L.	Locust, Black (adventive seedlings)	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	N.Am., not IA
<i>Tilia americana</i> L. var. <i>americana</i>	Basswood, American (adventive seedlings)	<i>Tiliaceae</i> (Linden)	native
<i>Ulmus rubra</i> Muhl.	Elm, Slippery (adventive seedlings)	<i>Ulmaceae</i> (Elm)	native
Shrubs/Vines			
<i>Amorpha canescens</i> Nutt. ex Pursh	Leadplant	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Amphicarpaea bracteata</i> (L.) Fernald	Hogpeanut, American	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Calystegia sepium</i> (L.) Brummitt ssp. <i>angulata</i> Brummitt ^[sec. Frymoyer]	Bindweed, Hedge; Wild Morning Glory; Rutland Beauty	<i>Convolvulaceae</i> (Morning Glory)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Campsis radicans</i> (L.) Seem. ex Bureau	Trumpet Creeper or Vine; Devil's Shoelaces or Shoestrings; Hell Vine	<i>Bignoniaceae</i> (Trumpet-creeper)	native
<i>Ceanothus americanus</i> L.	New Jersey Tea	<i>Rhamnaceae</i> (Buckthorn)	native
<i>Celastrus scandens</i> L.	Bittersweet, American	<i>Celastraceae</i> (Spindle or Staff Tree)	native
<i>Clematis cf. virginiana</i> L.	Virgin's Bower	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Clematis pitcheri</i> Torr. & A.Gray var. <i>pitcheri</i> ^[sec. Scott]	Clematis, Bellflower or Pitcher's	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Corylus americana</i> Walter	Hazelnut; Hazel, American	<i>Betulaceae</i> (Birch)	native
<i>Dioscorea villosa</i> L.	Yam, Wild; Yam or Colic Root	<i>Dioscoreaceae</i> (Yam)	native
<i>Fallopia convolvulus</i> (L.) Á.Löve [= <i>Polygonum convolvulus</i> L.]	Bindweed, Black	<i>Polygonaceae</i> (Smartweed)	Eurasia, n.Africa
<i>Fallopia scandens</i> (L.) Holub ^[sec. Frymoyer] [= <i>Polygonum scandens</i> L.]	False-buckwheat, Climbing	<i>Polygonaceae</i> (Smartweed)	native
<i>Menispermum canadense</i> L.	Moonseed, Canada	<i>Menispermaceae</i> (Moonseed)	native
<i>Parthenocissus quinquefolia</i> (L.) Planch.	Virginia Creeper	<i>Vitaceae</i> (Grape)	native
<i>Rhus glabra</i> L.	Sumac, Smooth	<i>Anacardiaceae</i> (Cashew; Sumac)	native
<i>Rhus typhina</i> L.	Sumac, Staghorn	<i>Anacardiaceae</i> (Cashew; Sumac)	native
<i>Ribes missouriense</i> Nutt. ex Torr. & A.Gray	Gooseberry, Wild	<i>Grossulariaceae</i> (Gooseberry)	native
<i>Rosa arkansana</i> Porter var. <i>suffulta</i> (Greene) Cockerell [= <i>R. suffulta</i> Greene]	Rose, Prairie	<i>Rosaceae</i> (Rose)	native
<i>Rosa carolina</i> L.	Rose, Carolina	<i>Rosaceae</i> (Rose)	native
<i>Rosa multiflora</i> Thunb.	Rose, Multiflora	<i>Rosaceae</i> (Rose)	e.Asia
<i>Rubus allegheniensis</i> Porter	Blackberry, Allegheny	<i>Rosaceae</i> (Rose)	native
<i>Rubus flagellaris</i> Willd.	Dewberry, Northern	<i>Rosaceae</i> (Rose)	native
<i>Rubus occidentalis</i> L.	Raspberry, Black	<i>Rosaceae</i> (Rose)	native
<i>Salix humilis</i> Marshall var. <i>humilis</i>	Willow, Prairie	<i>Salicaceae</i> (Willow)	native
<i>Sambucus canadensis</i> L.	Elderberry, Common	<i>Caprifoliaceae</i> (Honeysuckle)	native
<i>Sicyos angulatus</i> L.	Bur Cucumber	<i>Cucurbitaceae</i> (Gourd; Cucumber)	native
<i>Smilax lasioneura</i> Hook. [= <i>S. herbacea</i> L. ssp. <i>lasioneura</i> (Hook.) Á.Löve & D.Löve]	Carrion Flower	<i>Liliaceae</i> (Lily)	native
<i>Smilax tamnoides</i> L. [= <i>S. hispida</i> Muhl.]	Greenbrier, Bristly; China Root; Hellfetter	<i>Smilacaceae</i> (Greenbrier; Catbrier)	native
<i>Strophostyles helvula</i> (L.) Elliott ^[sec. Scott]	Wild Bean, Trailing; Annual Woolly Bean; Trailing Fuzzy-bean	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Toxicodendron radicans</i> (L.) Kuntze	Poison Ivy	<i>Anacardiaceae</i> (Cashew; Sumac)	native
<i>Vitis riparia</i> Michx.	Grape, Riverbank or Frost	<i>Vitaceae</i> (Grape)	native
Herbs			
<i>Acalypha gracilens</i> A.Gray	Mercury, Three-seeded Slender	<i>Euphorbiaceae</i> (Spurge)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Acalypha rhomboidea</i> Raf.	Mercury, Three-seeded Common; Rhombic Copper-leaf	<i>Euphorbiaceae</i> (Spurge)	native
<i>Achillea millefolium</i> L.	Yarrow, Common; Common Milfoil	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Ageratina altissima</i> (L.) R.M.King & H.Robinson [= <i>Eupatorium rugosum</i> Houtt.]	Snakeroot, Common White	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Agrimonia gryposepala</i> Wallr.	Agrimony, Tall Hairy or Common	<i>Rosaceae</i> (Rose)	native
<i>Agrostis perennans</i> (Walter) Tuck.	Bent Grass, Upland or Autumn	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Alliaria petiolata</i> (M.Bieb.) Cavara & Grande	Garlic Mustard	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Europe
<i>Allium canadense</i> L.	Onion, Wild; Wild Garlic	<i>Liliaceae</i> (Lily)	native
<i>Allium cernuum</i> Roth ^[sec. Frymoyer]	Onion, Nodding Wild; Wild Onion	<i>Liliaceae</i> (Lily)	native
<i>Ambrosia artemisiifolia</i> L.	Ragweed, Common or Annual	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Ambrosia trifida</i> L.	Ragweed, Giant or Great	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Andropogon gerardii</i> Vitman	Bluestem, Big; Turkeyfoot	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Androsace occidentalis</i> Pursh	Rock Jasmine, Western; Western Androsace	<i>Primulaceae/Myrsinaceae</i> (Primrose)	native
<i>Anemone canadensis</i> L.	Anemone, Canada	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Anemone cylindrica</i> A.Gray	Anemone, Long-headed or Candle; Thimbleweed	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Anemone quinquefolia</i> L. var. <i>quinquefolia</i>	Anemone, Wood	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Antennaria neglecta</i> Greene	Pussytoes, Field	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Antennaria plantaginifolia</i> (L.) Hook.	Pussytoes, Plantain-leaved	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Apocynum androsaemifolium</i> L.	Dogbane, Spreading; Pink-flowered Dogbane	<i>Apocynaceae</i> (Dogbane; Oleander)	native
<i>Apocynum cannabinum</i> L.	Indian Hemp; Prairie Dogbane	<i>Apocynaceae</i> (Dogbane; Oleander)	native
<i>Aquilegia canadensis</i> L.	Columbine, Canada	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Arisaema dracontium</i> (L.) Schott in Schott & Endl. ^[sec. Rhodes]	Dragon, green or Root	<i>Araceae</i> (Arum; Calla)	native
<i>Arnoglossum atriplicifolium</i> (L.) H.Robinson [= <i>Cacalia atriplicifolia</i> L.]	Indian Plantain	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Artemisia ludoviciana</i> Nutt. ssp. <i>ludoviciana</i>	Sage, White or Silver; Silver Wormwood	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Asclepias amplexicaulis</i> Sm.	Milkweed, Sand; Bluntleaf Milkweed	<i>Asclepiadaceae</i> (Milkweed)	native
<i>Asclepias purpurascens</i> L.	Milkweed, Purple	<i>Asclepiadaceae</i> (Milkweed)	native
<i>Asclepias syriaca</i> L.	Milkweed, Common	<i>Asclepiadaceae</i> (Milkweed)	native
<i>Asclepias tuberosa</i> L. ssp. <i>interior</i> Woodson	Milkweed, Butterfly; Butterfly Weed	<i>Asclepiadaceae</i> (Milkweed)	native
<i>Asclepias verticillata</i> L.	Milkweed, Whorled; Horsetail Milkweed	<i>Asclepiadaceae</i> (Milkweed)	native
<i>Asparagus officinalis</i> L. ^[sec. Scott]	Asparagus, Garden or Common	<i>Liliaceae</i> (Lily)	Europe
<i>Astragalus canadensis</i> L.	Milkvetch, Canada	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Athyrium filix-femina</i> (L.) Roth ex Mert. var. <i>angustum</i> (Willd.) G.W.Lawson	Fern, Northern Lady	<i>Dryopteridaceae</i> (Fern, Wood)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Baptisia alba</i> (L.) Vent. var. <i>macrophylla</i> (Larisey) Isely [= <i>B. lactea</i> (Raf.) Thieret]	Indigo, White False or White Wild or Milky White	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Barbarea vulgaris</i> W.T.Aiton in Aiton & W.T.Aiton	Yellow Rocket; Common Winter Cress	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Eurasia
<i>Bidens frondosa</i> L.	Beggar-ticks	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Boechera laevigata</i> (Muhl. ex Willd.) Al-Shehbaz [= <i>Arabis laevigata</i> (Muhl. ex Willd.) Poir.]	Rock Cress, Smooth	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	native
<i>Bouteloua curtipendula</i> (Michx.) Torr.	Sideoats Grama	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Brickellia eupatorioides</i> (L.) Shinnery [= <i>Kuhnia eupatorioides</i> L.]	False Boneset	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Bromus commutatus</i> Schrad.	Brome, Meadow; Hairy Chess	<i>Poaceae/Gramineae</i> (Grass)	Europe
<i>Bromus inermis</i> Leyss.	Brome, Smooth or Hungarian	<i>Poaceae/Gramineae</i> (Grass)	Eurasia
<i>Bromus tectorum</i> L.	Brome, Downy; Downy Chess; Cheatgrass	<i>Poaceae/Gramineae</i> (Grass)	Europe
<i>Calamagrostis canadensis</i> (Michx.) P.Beauv.	Bluejoint	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Calamagrostis stricta</i> (Timm) Koeler ssp. <i>inexpansa</i> (A.Gray) C.W.Green [= <i>C. inexpansa</i> A.Gray]	Reedgrass, Northern	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Callirhoe involucrata</i> (Torr. & A.Gray) A.Gray ^[sec. Kohrt]	Poppy Mallow, Purple	<i>Malvaceae</i> (Mallow)	native
<i>Campanula americana</i> L.	Bellflower, Tall	<i>Campanulaceae</i> (Bellflower; Bluebell)	native
<i>Campanula rapunculoides</i> L.	Bellflower, Creeping or Rover; False Rampion	<i>Campanulaceae</i> (Bellflower; Bluebell)	Eurasia
<i>Cannabis sativa</i> L.	Hemp, Marijuana	<i>Cannabaceae</i> (Indian Hemp)	Asia
<i>Capsella bursa-pastoris</i> (L.) Medik.	Shepherd's Purse	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Eurasia
<i>Carex cf. alopecoidea</i> Tuck.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex annectens</i> (E.P.Bicknell) E.P.Bicknell	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex bicknellii</i> Britton in Britton & A.Br.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex blanda</i> Dewey	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex brevior</i> (Dewey) Mack. ex Lunell	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex cephalophora</i> Muhl. ex Willd.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex davisii</i> Schwein. & Torr.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex grisea</i> Wahlenb.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex haydenii</i> Dewey	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex leavenworthii</i> Dewey	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex meadii</i> Dewey	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex mesochorea</i> Mack.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex cf. muehlenbergii</i> Schkuhr ex Willd.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex muskingumensis</i> Schwein.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex normalis</i> Mack.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex pellita</i> Willd.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex pensylvanica</i> Lam. in Lam. et al.	Sedge	<i>Cyperaceae</i> (Sedge)	native
<i>Carex rosea</i> Schkuhr ex Willd.	Sedge	<i>Cyperaceae</i> (Sedge)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Cenchrus longispinus</i> (Hack.) Fernald	Sandbur, Mat or Longspine	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	native
<i>Cerastium fontanum</i> Baumg. ssp. <i>vulgare</i> (Hartm.) Greuter & Burdet [= <i>C. vulgatum</i> L.]	Chickweed, Common Mouse-ear	<i>Caryophyllaceae</i> (Carnation; Pink)	Europe
<i>Chamaecrista fasciculata</i> (Michx.) Greene var. <i>fasciculata</i> [sec. Frymoyer, Lyon]	Partridge Pea, Showy	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native
<i>Chamaecyse maculata</i> (L.) Small [= <i>Euphorbia maculata</i> L.]	Spurge, Carpet or Prostrate; Milk Purslane	<i>Euphorbiaceae</i> (Spurge)	native
<i>Chamaecyse nutans</i> (Lag.) Small [= <i>Euphorbia nutans</i> Lag.]	Spurge, Nodding; Eyebane	<i>Euphorbiaceae</i> (Spurge)	native
<i>Chenopodium album</i> L.	Lamb's Quarters; Pigweed	<i>Chenopodiaceae</i> (Goosefoot)	Europe
<i>Circaea lutetiana</i> L. ssp. <i>canadensis</i> (L.) Asch. & Magnus	Enchanters Nightshade, Broadleaf	<i>Onagraceae</i> (Evening Primrose)	native
<i>Cirsium discolor</i> (Muhl. ex Willd.) Spreng.	Thistle, Field	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Cirsium pumilum</i> (Nutt.) Spreng. var. <i>hillii</i> (Canby) B.Boivin	Thistle, Hill's	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Claytonia virginica</i> L. [sec. Frymoyer]	Spring Beauty, Eastern	<i>Portulacaceae</i> (Purslane)	native
<i>Comandra umbellata</i> (L.) Nutt. ssp. <i>umbellata</i>	Toadflax, Bastard	<i>Santalaceae</i> (Sandalwood)	native
<i>Conyza canadensis</i> (L.) Cronquist [= <i>Erigeron canadensis</i> (L.) Cronquist]	Horseweed	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Coreopsis lanceolata</i> L.	Coreopsis, Tickseed; Lanceleaf Tickseed	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	N.Am, not IA
<i>Coreopsis palmata</i> Nutt.	Coreopsis, Finger; Stiff Tickseed	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Croton glandulosus</i> L. var. <i>septentrionalis</i> Müll.Arg.	Croton, Sand or Tropic	<i>Euphorbiaceae</i> (Spurge)	native
<i>Cryptotaenia canadensis</i> (L.) DC.	Honewort	<i>Apiaceae</i> / <i>Umbelliferae</i> (Carrot)	native
<i>Cyperus filiculmis</i> Vahl	Umbrella-sedge; Flatsedge	<i>Cyperaceae</i> (Sedge)	native
<i>Cypripedium candidum</i> Muhl. ex Willd. [sec. Brown]	Lady's Slipper, Small White	<i>Orchidaceae</i> (Orchid)	native
<i>Cypripedium parviflorum</i> Salisb. var. <i>pubescens</i> (Willd.) O.W.Knight [= <i>C. calceolus</i> L. var. <i>pubescens</i> (Willd.) Correll]	Lady's Slipper, Yellow	<i>Orchidaceae</i> (Orchid)	native
<i>Dactylis glomerata</i> L.	Orchardgrass	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	Eurasia, Africa
<i>Dalea candida</i> Willd. [= <i>Petalostemon candidum</i> (Willd.) Michx.]	Prairie Clover, White	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native
<i>Dalea purpurea</i> Vent. var. <i>purpurea</i> [sec. Frymoyer] [= <i>Petalostemon purpureum</i> (Vent.) Rydb.]	Prairie Clover, Purple	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native
<i>Descurainia cf. sophia</i> (L.) Webb ex Prantl	Flixweed; Tansy Mustard; Herb Sophia	<i>Brassicaceae</i> / <i>Cruciferae</i> (Mustard; Cabbage)	Eurasia
<i>Descurainia pinnata</i> (Walter) Britton ssp. <i>brachycarpa</i> (Richardson) Detling	Tansy Mustard, Western	<i>Brassicaceae</i> / <i>Cruciferae</i> (Mustard; Cabbage)	native
<i>Desmodium canadense</i> (L.) DC.	Tick Trefoil, Showy or Canada	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native
<i>Desmodium glutinosum</i> (Muhl. ex Willd.) A.W.Wood	Tick Trefoil, Pointed Leaf	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native
<i>Desmodium illinoense</i> A.Gray	Tick Trefoil, Illinois	<i>Fabaceae</i> / <i>Leguminosae</i> (Pea; Bean)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Dicentra cucullaria</i> (L.) Bernh.	Dutchman's Breeches	<i>Fumariaceae</i> (Bleeding Heart; Fumitory)	native
<i>Dichanthelium acuminatum</i> (Sw.) Gould & C.A.Clark [= <i>Panicum acuminatum</i> Sw. var. <i>acuminatum</i>]	Panicgrass, Hairy	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Dichanthelium oligosanthes</i> (Schult.) Gould ssp. <i>scribnerianum</i> (Nash) Freckmann & Lelong [= <i>Panicum oligosanthes</i> var. <i>scribnerianum</i>]	Panicgrass, Scribner's	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Dodecatheon meadia</i> L.	Shooting Star, Eastern; Pride-of-Ohio	<i>Primulaceae/Myrsinaceae</i> (Primrose)	native
<i>Draba reptans</i> (Lam.) Fernald	Whitlow Grass; White Whitlow Wort	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	native
<i>Echinacea pallida</i> (Nutt.) Nutt. ^[sec. Frymoyer]	Coneflower, Pale Purple	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Ellisia nyctelea</i> (L.) L.	Aunt Lucy; Water-pod	<i>Hydrophyllaceae</i> (Water-leaf)	native
<i>Elymus canadensis</i> L.	Wildrye, Canada	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Elymus villosus</i> Muhl. ex Willd.	Wildrye, Downy	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Elymus virginicus</i> L.	Wildrye, Virginia	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Equisetum arvense</i> L.	Horsetail, Common or Field	<i>Equisetaceae</i> (Horsetail)	native
<i>Eragrostis spectabilis</i> (Pursh) Steud.	Lovegrass, Purple	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Erigeron annuus</i> (L.) Pers. ^[sec. Scott]	Fleabane, Eastern Daisy	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Erigeron philadelphicus</i> L. ^[sec. Scott]	Fleabane, Philadelphia	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Erigeron pulchellus</i> Michx.	Fleabane, Hairy; Robin's Plantain	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Erigeron strigosus</i> Muhl. ex Willd. ^[sec. Frymoyer]	Fleabane, Daisy or Common Eastern	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Euphorbia corollata</i> L.	Spurge, Flowering	<i>Euphorbiaceae</i> (Spurge)	native
<i>Euphorbia cyathophora</i> Murray	Fire-on-the-mountain; Painted Leaf	<i>Euphorbiaceae</i> (Spurge)	native
<i>Euphorbia cyparissias</i> L. ^[sec. Frymoyer]	Spurge, Cypress; Graveyard Spurge	<i>Euphorbiaceae</i> (Spurge)	Eurasia
<i>Euphorbia dentata</i> Michx.	Spurge, Toothed	<i>Euphorbiaceae</i> (Spurge)	native
<i>Eutrochium maculatum</i> (L.) E.E.Lamont [= <i>Eupatorium maculatum</i> L.]	Joe-pye Weed, Spotted	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Festuca subverticillata</i> (Pers.) E.B.Alexeev [= <i>F. obtusa</i>]	Fescue, Nodding	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Festuca trachyphylla</i> (Hack.) Krajina	Fescue, Hard or Sheep	<i>Poaceae/Gramineae</i> (Grass)	Europe
<i>Fragaria virginiana</i> Duchesne	Strawberry, Wild or Virginia	<i>Rosaceae</i> (Rose)	native
<i>Galearis spectabilis</i> (L.) Raf. ^[sec. Cady] [= <i>Orchis spectabilis</i> L.]	Orchis, Showy	<i>Orchidaceae</i> (Orchid)	native
<i>Galium aparine</i> L.	Bedstraw, Annual or Common; Cleavers; Stickywilly	<i>Rubiaceae</i> (Bedstraw; Madder)	native
<i>Galium triflorum</i> Michx.	Bedstraw, Fragrant or Sweet-scented	<i>Rubiaceae</i> (Bedstraw; Madder)	native
<i>Gentiana alba</i> Muhl. ex Nutt. [= <i>G. flavida</i> A.Gray]	Gentian, Pale or Yellow	<i>Gentianaceae</i> (Gentian)	native
<i>Gentiana andrewsii</i> Griseb. ^[sec. O'Keefe]	Gentian, Bottle Or Closed	<i>Gentianaceae</i> (Gentian)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Gentiana puberulenta</i> J.S.Pringle [<i>G. puberula</i> Michx. misapplied]	Gentian, Downy or Prairie	<i>Gentianaceae</i> (Gentian)	native
<i>Geranium carolinianum</i> L. [sec. Scott]	Geranium, Carolina; Carolina Cranesbill	<i>Geraniaceae</i> (Geranium)	native
<i>Geranium maculatum</i> L.	Geranium, Wild Or Spotted	<i>Geraniaceae</i> (Geranium)	native
<i>Geum canadense</i> Jacq.	Avens, White or Canada	<i>Rosaceae</i> (Rose)	native
<i>Glechoma hederacea</i> L.	Creeping Charlie; Ground-ivy	<i>Lamiaceae/Labiatae</i> (Mint)	Eurasia
<i>Hackelia virginiana</i> (L.) I.M.Johnston	Stickseed	<i>Boraginaceae</i> (Borage; Forget-me-not)	native
<i>Hedeoma hispida</i> Pursh. [sec. Scott]	Pennyroyal, Rough False	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Helianthemum bicknellii</i> Fernald	Rock-rose; Hoary Frostweed	<i>Cistaceae</i> (Rock-rose)	native
<i>Helianthus decapetalus</i> L. [sec. Frymoyer]	Sunflower, Thinleaf or Pale	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Helianthus divaricatus</i> L. [sec. Frymoyer]	Sunflower, Woodland	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Helianthus occidentalis</i> Riddell ssp. <i>occidentalis</i>	Sunflower, Western	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Helianthus tuberosus</i> L. [sec. Scott]	Jerusalem Artichoke	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Heliopsis helianthoides</i> (L.) Sweet	Oxeye; Smooth Oxeye; False Sunflower	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Hemerocallis fulva</i> (L.) L.	Daylily, Orange or Tawny	<i>Liliaceae</i> (Lily)	Eurasia
<i>Hesperis matronalis</i> L. [sec. Scott]	Dame's Rocket	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Eurasia
<i>Hesperostipa spartea</i> (Trin.) Barkworth [= <i>Stipa spartea</i> Trin.]	Porcupine Grass	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Heuchera richardsonii</i> R.Br.	Alumroot, Prairie or Richardson's	<i>Santalaceae</i> (Sandalwood)	native
<i>Houstonia longifolia</i> Gaertn. [sec. Lyon]	Bluets or Bluet, Longleaf or Longleaf Summer	<i>Rubiaceae</i> (Bedstraw; Madder)	native
<i>Houstonia pusilla</i> Schoepf [= <i>H. minima</i> Beck]	Bluets or Bluet, Tiny or Small or Least	<i>Rubiaceae</i> (Bedstraw; Madder)	native
<i>Hylotelephium</i> cf. <i>erythrostictum</i> (Miq.) H.Ohba [= <i>Sedum erythrostictum</i> Miq.]	Stonecrop; Garden Orpine	<i>Crassulaceae</i> (Stonecrop)	Asia
<i>Hypericum punctatum</i> Lam. [sec. Scott]	St. John's-wort, Spotted	<i>Hypericaceae/Guttiferae</i> (St. John's-wort)	Europe
<i>Hypericum sphaerocarpum</i> Michx.	St. John's-wort, Round-seed	<i>Hypericaceae/Guttiferae</i> (St. John's-wort)	native
<i>Hypoxis hirsuta</i> (L.) Coville	Star-grass, Yellow	<i>Liliaceae</i> (Lily)	native
<i>Impatiens capensis</i> Meerb. [= <i>I. biflora</i> Walter]	Jewelweed; Spotted Touch-me-not	<i>Balsaminaceae</i> (Jewelweed; Touch-me-not)	native
<i>Inula helenium</i> L. [sec. Frymoyer]	Elecampane	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	Europe
<i>Juncus tenuis</i> Willd.	Rush, Path or Poverty	<i>Juncaceae</i> (Rush)	native
<i>Koeleria macrantha</i> (Ledeb.) Schult. [= <i>K. cristata</i> (L.) Pers.]	Junegrass	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Krigia biflora</i> (Walter) S.F.Blake	Dwarf Dandelion, Orange	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Lactuca canadensis</i> L. [sec. Scott]	Lettuce, Wild	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Lactuca floridana</i> (L.) Gaertn.	Lettuce, Woodland or Florida	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Lechea tenuifolia</i> Michx.	Pinweed, Narrow- or Slender-leaved	<i>Cistaceae</i> (Rock-rose)	native
<i>Leonurus cardiaca</i> L.	Motherwort, Common	<i>Lamiaceae/Labiatae</i> (Mint)	Asia

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Lepidium campestre</i> (L.) R.Br.	Cress, Field or Cow; Field Pepper Grass	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Eurasia
<i>Lepidium densiflorum</i> Schrad. ^[sec. Thorne]	Pepper Grass; Green-flowered Pepper Grass	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	native
<i>Lepidium virginicum</i> L.	Pepper Grass, Poor Man's or Virginia	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	native
<i>Lespedeza capitata</i> Michx.	Bushclover, Round-headed; Round-headed Lespedeza	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Leucanthemum vulgare</i> Lam. [= <i>Chrysanthemum leucanthemum</i> L.]	Daisy, Ox-eye or White	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	Eurasia
<i>Liatris aspera</i> Michx. ^[sec. Scott]	Gayfeather, Rough	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Liatris pycnostachya</i> Michx. var. <i>pycnostachya</i> ^[sec. Frymoyer]	Gayfeather, Prairie Or Cattail	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Lilium lancifolium</i> Thunb. [= <i>L. tigrinum</i> Ker Gawl.]	Lily, Tiger	<i>Liliaceae</i> (Lily)	e.Asia
<i>Lilium michiganense</i> Farw. ^[sec. Lyon]	Lily, Turk's-cap or Michigan	<i>Liliaceae</i> (Lily)	native
<i>Lilium philadelphicum</i> L.	Lily, Wood	<i>Liliaceae</i> (Lily)	native
<i>Lithospermum canescens</i> (Michx.) Lehm.	Puccoon, Hoary or Orange	<i>Boraginaceae</i> (Borage; Forget-me-not)	native
<i>Lobelia siphilitica</i> L.	Lobelia, Great or Blue; Blue Cardinal Flower	<i>Campanulaceae</i> (Bellflower; Bluebell)	native
<i>Lobelia spicata</i> Lam.	Lobelia, Spiked or Palespike	<i>Campanulaceae</i> (Bellflower; Bluebell)	native
<i>Lolium perenne</i> L.	Ryegrass, Perennial or English	<i>Poaceae/Gramineae</i> (Grass)	Eurasia
<i>Lysimachia ciliata</i> L.	Loosestrife, Fringed	<i>Primulaceae/Myrsinaceae</i> (Primrose)	native
<i>Lysimachia lanceolata</i> Walter ^[sec. Frymoyer]	Loosestrife, Lance-leaf	<i>Primulaceae/Myrsinaceae</i> (Primrose)	native
<i>Lysimachia nummularia</i> L.	Moneywort; Creeping Jenny	<i>Primulaceae/Myrsinaceae</i> (Primrose)	Eurasia
<i>Maianthemum racemosum</i> (L.) Link ssp. <i>racemosum</i> [= <i>Smilacina racemosa</i> (L.) Desf.]	Solomon's Seal, Large False; False Spikenard; Solomon's Plume	<i>Liliaceae</i> (Lily)	native
<i>Maianthemum stellatum</i> (L.) Link [= <i>Smilacina stellata</i> (L.) Desf.]	Solomon's Seal, Little False or Starflower	<i>Liliaceae</i> (Lily)	native
<i>Medicago lupulina</i> L.	Medic, Black; Yellow Trefoil	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Europe
<i>Melilotus albus</i> Medik.	Sweetclover, White	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Eurasia
<i>Melilotus officinalis</i> (L.) Pall.	Sweetclover, Yellow	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Eurasia
<i>Mentha spicata</i> L. ^[sec. Frymoyer]	Spearmint	<i>Lamiaceae/Labiatae</i> (Mint)	Europe
<i>Mirabilis nyctaginea</i> (Michx.) MacMill.	Four-o'clock, Wild or Heartleaf	<i>Nyctaginaceae</i> (Four-o'clock)	native
<i>Monarda fistulosa</i> L.	Bergamot, Wild; Beebalm	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Monarda punctata</i> L.	Horsemint, Dotted; Spotted Beebalm	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Muhlenbergia glomerata</i> (Willd.) Trin.	Muhly, Spike	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Muscari botryoides</i> (L.) Mill.	Grape-hyacinth, Common	<i>Liliaceae</i> (Lily)	Europe
<i>Myosotis verna</i> Nutt. ^[sec. Thorne]	Scorpion-grass, Early	<i>Boraginaceae</i> (Borage; Forget-me-not)	native
<i>Myosoton aquaticum</i> (L.) Moench [= <i>Stellaria aquatica</i> (L.) Scop.]	Chickweed, Giant	<i>Caryophyllaceae</i> (Carnation; Pink)	Europe
<i>Oenothera biennis</i> L. ^[sec. Frymoyer]	Evening Primrose, Common or Bastard	<i>Onagraceae</i> (Evening Primrose)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Oenothera pilosella</i> Raf. ^[sec. Scott]	Evening Primrose, Meadow; Prairie or Meadow Sundrops	<i>Onagraceae</i> (Evening Primrose)	native
<i>Oenothera rhombipetala</i> Nutt. ex Torr. & A.Gray ^[sec. Lyon]	Evening Primrose, Four-point or Long-spike; Sand Primrose	<i>Onagraceae</i> (Evening Primrose)	native
<i>Onoclea sensibilis</i> L.	Fern, Sensitive	<i>Dryopteridaceae</i> (Fern, Wood)	native
<i>Opuntia humifusa</i> (Raf.) Raf. var. <i>humifusa</i> [= <i>O. compressa</i> (Salisb.) J.F.Macbr.]	Prickly Pear, Eastern	<i>Cactaceae</i> (Cactus)	native
<i>Ornithogalum umbellatum</i> L.	Star of Bethlehem; Nap-at-noon; Sleepy Dick	<i>Liliaceae</i> (Lily)	Europe
<i>Osmorhiza claytonii</i> (Michx.) C.B.Clarke	Sicely, Sweet or Woolly Sweet	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
<i>Osmorhiza longistylis</i> (Torr.) DC.	Cicely, Smooth Sweet; Anise Root; Sweet Anise	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
<i>Osmunda claytoniana</i> L.	Fern, Interrupted	<i>Osmundaceae</i> (Fern, Royal)	native
<i>Oxalis dillenii</i> Jacq.	Wood Sorrel, Yellow	<i>Oxalidaceae</i> (Wood Sorrel)	native
<i>Oxalis stricta</i> L. ^[sec. Frymoyer]	Wood Sorrel, Yellow	<i>Oxalidaceae</i> (Wood Sorrel)	native
<i>Oxalis violacea</i> L.	Wood Sorrel, Violet	<i>Oxalidaceae</i> (Wood Sorrel)	native
<i>Oxypolis rigidior</i> (L.) Raf.	Cowbane; Common Water Dropwort	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
<i>Packera plattensis</i> (Nutt.) W.A.Weber & Á.Löve [= <i>Senecio plattensis</i> Nutt.]	Ragwort, Prairie; Prairie Groundsel	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Panicum virgatum</i> L.	Switchgrass	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Parthenium integrifolium</i> L.	Feverfew; Wild Quinine	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Paspalum setaceum</i> Michx. var. <i>muhlenbergii</i> (Nash) D.J.Banks	Beadgrass	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Pastinaca sativa</i> L.	Parsnip; Wild Parsnip	<i>Apiaceae/Umbelliferae</i> (Carrot)	Europe
<i>Pedicularis canadensis</i> L.	Lousewort, Canada or Common; Wood Betony, Canada	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native
<i>Penstemon digitalis</i> Nutt. ex Sims ^[sec. Lyon]	Beardtongue, Foxglove; Foxglove Penstemon	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native
<i>Penstemon pallidus</i> Small	Beardtongue, Pale	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native
<i>Persicaria hydropiperoides</i> (Michx.) Small [= <i>Polygonum hydropiperoides</i> Michx.]	Smartweed, Swamp	<i>Polygonaceae</i> (Smartweed)	native
<i>Persicaria pennsylvanica</i> (L.) M.Gómez [= <i>Polygonum pennsylvanicum</i> L. var. <i>laevigatum</i> Fernald]	Smartweed, Pennsylvania	<i>Polygonaceae</i> (Smartweed)	native
<i>Persicaria virginiana</i> (L.) Gaertn. [= <i>Polygonum virginianum</i> L.]	Jumpseed	<i>Polygonaceae</i> (Smartweed)	native
<i>Phalaris arundinacea</i> L.	Reed Canarygrass	<i>Poaceae/Gramineae</i> (Grass)	native, Europe
<i>Phleum pratense</i> L.	Timothy	<i>Poaceae/Gramineae</i> (Grass)	Eurasia
<i>Phlox divaricata</i> L.	Phlox, Blue or Wild Blue or Woodland	<i>Polemoniaceae</i> (Phlox)	native
<i>Phlox pilosa</i> L.	Phlox, Prairie or Downy	<i>Polemoniaceae</i> (Phlox)	native
<i>Phlox subulata</i> L.	Phlox, Moss; Moss-pink	<i>Polemoniaceae</i> (Phlox)	N.Am., not IA
<i>Phryma leptostachya</i> L.	Lopseed	<i>Phrymaceae</i> (Lopseed)	native
<i>Phyla lanceolata</i> (Michx.) Greene	Fogfruit, Lanceleaf	<i>Verbenaceae</i> (Vervain)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Physalis heterophylla</i> Nees	Ground Cherry, Clammy	<i>Solanaceae</i> (Nightshade)	native
<i>Physalis virginiana</i> Mill.	Ground Cherry, Lance-leaved or Virginia	<i>Solanaceae</i> (Nightshade)	native
<i>Phytolacca americana</i> L. var. <i>americana</i>	Pokeweed; Poke; Pokeberry	<i>Phytolaccaceae</i> (Pokeweed)	native
<i>Plantago rugelii</i> Decne.	Plantain, Rugel's or Blackseed	<i>Plantaginaceae</i> (Plantain)	native
<i>Plantago virginica</i> L.	Plantain, Virginia or Dwarf or Paleseed	<i>Plantaginaceae</i> (Plantain)	native
<i>Poa pratensis</i> L.	Kentucky Bluegrass	<i>Poaceae/Gramineae</i> (Grass)	Eurasia
<i>Podophyllum peltatum</i> L.	Mayapple; Indian Apple; Wild Mandrake	<i>Berberidaceae</i> (Barberry)	native
<i>Polygala senega</i> L.	Seneca Snakeroot; Senega Root	<i>Polygalaceae</i> (Milkwort)	native
<i>Polygonatum biflorum</i> (Walter) Elliott	Solomon's Seal, Giant	<i>Liliaceae</i> (Lily)	native
<i>Potentilla arguta</i> Pursh	Cinquefoil, Tall or Prairie	<i>Rosaceae</i> (Rose)	native
<i>Potentilla recta</i> L.	Cinquefoil, Sulphur or Rough-fruited	<i>Rosaceae</i> (Rose)	Europe
<i>Potentilla simplex</i> Michx.	Cinquefoil, Common or Old-field	<i>Rosaceae</i> (Rose)	native
<i>Prenanthes aspera</i> Michx.	Rattlesnake Root, Rough; Rough White Lettuce	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Prenanthes racemosa</i> Michx. ^[sec. Baker]	Rattlesnake Root, Glaucous or Purple; Glaucous White Lettuce	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Prenanthes serpentaria</i> Pursh ^[sec. Frymoyer]	Lion's Foot	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Prunella vulgaris</i> L.	Self-heal; Heal-all	<i>Lamiaceae/Labiatae</i> (Mint)	native, Eurasia
<i>Pseudognaphalium obtusifolium</i> (L.) Hilliard & B.L.Burt ^[=Gnaphalium obtusifolium L.]	Rabbit-tobacco, Eastern	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Pteridium aquilinum</i> (L.) Kuhn <i>in</i> Decken var. <i>latiusculum</i> (Desv.) Underw. <i>ex</i> A.Heller	Fern, Bracken	<i>Dennstaedtiaceae</i> (Fern, Bracken)	native
<i>Pycnanthemum pilosum</i> Nutt.	Mountain Mint, Hairy	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Pycnanthemum tenuifolium</i> Schrad.	Mountain Mint, Slender	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Pycnanthemum virginianum</i> (L.) T.Durand & B.D.Jacks.	Mountain Mint, Common	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Ranunculus abortivus</i> L.	Buttercup, Small-flowered or Little-leaf	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Ranunculus fascicularis</i> Muhl. <i>ex</i> J.M.Bigelow	Buttercup, Early	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Ratibida pinnata</i> (Venturi) Barnhardt	Coneflower, Grayhead or Pinnate Prairie	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Rudbeckia hirta</i> L. var. <i>pulcherrima</i> Farw.	Black-eyed Susan	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Ruellia humilis</i> Nutt.	Petunia, Wild; Fringeleaf Ruellia	<i>Acanthaceae</i> (Acanthus)	native
<i>Ruellia strepens</i> L. ^[sec. Frymoyer]	Petunia, Wild; Smooth Ruellia	<i>Acanthaceae</i> (Acanthus)	native
<i>Rumex acetosella</i> L.	Sorrel, Sheep or Field	<i>Polygonaceae</i> (Smartweed)	Eurasia
<i>Rumex crispus</i> L.	Dock, Curly or Yellow	<i>Polygonaceae</i> (Smartweed)	Eurasia
<i>Sanguinaria canadensis</i> L.	Bloodroot	<i>Papaveraceae</i> (Poppy)	native
<i>Sanicula canadensis</i> L.	Snakeroot, Canada or Canada Black	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
<i>Sanicula odorata</i> (Raf.) K.M.Pryer & L.R.Phillippe ^[=S. gregaria E.P.Bicknell]	Snakeroot, Clustered Black	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
<i>Saponaria officinalis</i> L.	Bouncing-bet, Soapwort	<i>Caryophyllaceae</i> (Carnation; Pink)	Eurasia

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Schizachyrium scoparium</i> (Michx.) Nash var. <i>scoparium</i> [= <i>Andropogon scoparius</i>]	Bluestem, Little	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	native
<i>Scrophularia lanceolata</i> Pursh	Figwort, Early or Lanceleaf	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native
<i>Scrophularia marilandica</i> L.	Figwort, Late; Carpenter's Square	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native
<i>Scutellaria parvula</i> Michx. ^[sec. Lyon]	Skullcap, Small or Little	<i>Lamiaceae</i> / <i>Labiatae</i> (Mint)	native
<i>Setaria pumila</i> (Poir.) Roem. & Schult. ssp. <i>pumila</i> [= <i>S. glauca</i> (L.) P.Beauv.]	Foxtail, Yellow	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	Europe
<i>Silene stellata</i> (L.) W.T.Aiton in Aiton & W.T.Aiton	Campion, Starry; Widow's Frill	<i>Caryophyllaceae</i> (Carnation; Pink)	native
<i>Silphium integrifolium</i> Michx.	Rosinweed; Wholeleaf Rosinweed	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Silphium perfoliatum</i> L. var. <i>perfoliatum</i>	Cup Plant	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Sisyrinchium angustifolium</i> Mill. ^[sec. Lyon]	Blue-eyed Grass	<i>Iridaceae</i> (Iris)	native
<i>Sisyrinchium campestre</i> E.P.Bicknell	Blue-eyed Grass	<i>Iridaceae</i> (Iris)	native
<i>Sium suave</i> Walter ^[sec. Frymoyer]	Water Parsnip, Hemlock or Fragrant	<i>Apiaceae</i> / <i>Umbelliferae</i> (Carrot)	native
<i>Smilax ecirrhata</i> S.Watson in A.Gray et al.	Carrion Flower, Upright	<i>Smilacaceae</i> (Greenbrier; Catbrier)	native
<i>Solanum carolinense</i> L.	Horse Nettle; Carolina Horse Nettle	<i>Solanaceae</i> (Nightshade)	native
<i>Solanum ptychanthum</i> Dunal ^[sec. Frymoyer] [= <i>S. americanum</i> auct. non P.Miller]	Nightshade, Black or American Black	<i>Solanaceae</i> (Nightshade)	native
<i>Solidago canadensis</i> L. var. <i>hargerii</i> Fernald	Goldenrod, Common or Harger's	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Solidago hispida</i> Muhl. ex Willd. ^[sec. Frymoyer] [= <i>S. bicolor</i> L.]	Goldenrod, Hairy	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Solidago speciosa</i> Nutt.	Goldenrod, Showy or Noble or Prairie	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Sonchus oleraceus</i> L. ^[sec. Frymoyer]	Sow-thistle, Common	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	Europe
<i>Sorghastrum nutans</i> (L.) Nash	Indiangrass	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	native
<i>Spiranthes cernua</i> (L.) Rich.	Ladies' Tresses, Nodding or Common	<i>Orchidaceae</i> (Orchid)	native
<i>Spiranthes lacera</i> (Raf.) Raf. [= <i>S. gracilis</i> (Bigelow) Beck]	Ladies' Tresses, Slender	<i>Orchidaceae</i> (Orchid)	native
<i>Sporobolus cryptandrus</i> (Torr.) A.Gray	Dropseed, Sand	<i>Poaceae</i> / <i>Gramineae</i> (Grass)	native
<i>Stachys palustris</i> L. ^[sec. Frymoyer]	Hedge-nettle, Marsh; Woundwort	<i>Lamiaceae</i> / <i>Labiatae</i> (Mint)	native
<i>Symphiotrichum drummondii</i> (Lindl. ex Hook.) G.L.Nesom ssp. <i>drummondii</i> [= <i>Aster drummondii</i> Lindl. in Hook.] x <i>Symphiotrichum urophyllum</i> (Lindl. ex DC.) G.L.Nesom [= <i>A. urophyllum</i> (or near)] ^[sec. Jones]	Aster, hybrid between Drummond's Aster & Arrowleaf or White Arrowleaf Aster	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Symphiotrichum ericoides</i> (L.) G.L.Nesom var. <i>prostratum</i> (Kuntze) G.L.Nesom [= <i>Aster ericoides</i> L. var. <i>prostratus</i> (Kuntze) S.F.Blake] ^[sec. Jones]	Aster, Wreath	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Symphiotrichum lanceolatum</i> (Willd.) G.L.Nesom [= <i>Aster lanceolatus</i> Willd.] ^[sec. Jones]	Aster, Lance-leaved or Panicked or White Panicked	<i>Asteraceae</i> / <i>Compositae</i> (Aster; Daisy; Sunflower)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Symphiotrichum lateriflorum</i> (L.) Á.Löve & D.Löve [= <i>Aster lateriflorus</i> (L.) Britton]	Aster, One-sided or White Woodland	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Symphiotrichum oolentangiense</i> (Riddell) G.L.Nesom [= <i>Aster azureus</i> Lindl. in Hook.]	Aster, Azure or Skyblue	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Symphiotrichum pilosum</i> (Willd.) G.L.Nesom [= <i>Aster pilosus</i> Willd.]	Aster, Hairy	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Symphiotrichum urophyllum</i> (Lindl. ex DC.) G.L.Nesom [= <i>Aster urophyllus</i> Lindl. ex DC.] ^[sec. Jones]	Aster, Arrowleaf or White Arrowleaf	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Taraxacum officinale</i> F.H.Wigg.	Dandelion, Common	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	Europe
<i>Tephrosia virginiana</i> (L.) Pers.	Goats Rue; Rabbit-pea; Virginia Tephrosia	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	native
<i>Teucrium canadense</i> L.	Germander, Canada; Wood-sage	<i>Lamiaceae/Labiatae</i> (Mint)	native
<i>Thalictrum dasycarpum</i> Fischer & Avé-Lall.	Meadow Rue, Purple or Tall	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Thalictrum thalictroides</i> (L.) A.J.Eames & B.Boivin [= <i>Anemonella thalictroides</i> L.]	Anemone, Rue	<i>Ranunculaceae</i> (Buttercup; Crowfoot)	native
<i>Thlaspi arvense</i> L.	Penny Cress, Field; Stinkweed	<i>Brassicaceae/Cruciferae</i> (Mustard; Cabbage)	Europe
<i>Tradescantia ohiensis</i> Raf.	Spiderwort, Smooth	<i>Commelinaceae</i> (Spiderwort)	native
<i>Tragopogon dubius</i> Scop.	Goat's beard; Yellow Salsify	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	Europe
<i>Trifolium campestre</i> Schreb. in Sturm ^[sec. Scott] [= <i>T. procumbens</i> L.]	Clover, Field or Low Hop or Pinnate Hop	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Eurasia
<i>Trifolium hybridum</i> L. ^[sec. Frymoyer]	Clover, Alsike	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Europe
<i>Trifolium pratense</i> L.	Clover, Red	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Europe
<i>Trifolium repens</i> L.	Clover, White or Dutch or Ladino	<i>Fabaceae/Leguminosae</i> (Pea; Bean)	Eurasia
<i>Triodanis perfoliata</i> (L.) Nieuwl. [= <i>Specularia perfoliata</i> (L.) A.DC.]	Venus' Looking Glass, Claspig	<i>Campanulaceae</i> (Bellflower; Bluebell)	native
<i>Triosteum perfoliatum</i> L.	Horse Gentian, Common; Wild Coffee; Tinker's Weed; Feverwort	<i>Caprifoliaceae</i> (Honeysuckle)	native
<i>Triplasis purpurea</i> (Walter) Chapm.	Sandgrass, Purple	<i>Poaceae/Gramineae</i> (Grass)	native
<i>Urtica dioica</i> L. ssp. <i>gracilis</i> (Aiton) Selander	Nettle, Stinging	<i>Urticaceae</i> (Nettle)	native
<i>Verbascum blattaria</i> L. ^[sec. Frymoyer]	Mullein, Moth	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	Eurasia
<i>Verbascum thapsus</i> L.	Mullein, Common or Great; Fannel Plant	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	Europe
<i>Verbena stricta</i> Vent.	Vervain, Hoary	<i>Verbenaceae</i> (Vervain)	native
<i>Verbena urticifolia</i> L.	Vervain, White	<i>Verbenaceae</i> (Vervain)	native
<i>Vernonia fasciculata</i> Michx.	Ironweed, Prairie	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Vernonia gigantea</i> (Walter) Branner & Coville ^[sec. Frymoyer]	Ironweed, Tall	<i>Asteraceae/Compositae</i> (Aster; Daisy; Sunflower)	native
<i>Veronica arvensis</i> L.	Speedwell, Common or Corn or Rock or Field	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	Eurasia
<i>Veronicastrum virginicum</i> (L.) Farw.	Culver's Root; Beaumont's Root; Bowman's Root; Blackroot	<i>Scrophulariaceae</i> (Figwort; Snapdragon)	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Viola affinis</i> Leconte ^[sec. Scott] [= <i>V. missouriensis</i> Greene]	Violet, Sand or Missouri	<i>Violaceae</i> (Violet)	native
<i>Viola odorata</i> L.	Violet, Sweet	<i>Violaceae</i> (Violet)	Europe
<i>Viola palmata</i> L.	Violet, Blue Wood or Early Blue	<i>Violaceae</i> (Violet)	native
<i>Viola pedata</i> L.	Violet, Birdfoot	<i>Violaceae</i> (Violet)	native
<i>Viola pedatifida</i> G.Don ^[sec. Lyon]	Violet, Prairie	<i>Violaceae</i> (Violet)	native
<i>Viola sagittata</i> Aiton ^[sec. Lyon]	Violet, Arrowleaf	<i>Violaceae</i> (Violet)	native
<i>Viola sororia</i> Willd. [incl. <i>V. papilionacea</i> Pursh]	Violet, Common Blue	<i>Violaceae</i> (Violet)	native
<i>Yucca glauca</i> Nutt. ^[sec. Lyon]	Yucca, Great Plains or Soapweed; Beargrass	<i>Agavaceae</i> (Agave)	native, not e.IA
<i>Zizia aurea</i> (L.) W.J.D.Koch	Golden Alexanders, Common	<i>Apiaceae/Umbelliferae</i> (Carrot)	native
TOTAL: 365 species Native: 302 (83%)			
SPECIES LATIN NAME	FAMILY LATIN NAME	SPECIES HABITAT	ORIGIN
BRYOPHYTES			
MOSSES			
<i>Anomodon minor</i> (Hedw.) Fűrnr.	<i>Anomodontaceae</i>	white oak branches	native
<i>Atrichum altecristatum</i> (Ren. & Card.) B.B.Smyth & L.C.D.Smyth	<i>Polytrichaceae</i>	gopher mounds	native
<i>Atrichum angustatum</i> (Brid.) Bruch & Schimp. in B.S.G.	<i>Polytrichaceae</i>	gopher mounds	native
<i>Barbula unguiculata</i> Hedw.	<i>Pottiaceae</i>	gopher mounds	native
<i>Brachythecium oxycladon</i> (Brid.) Jaeg.	<i>Brachytheciaceae</i>	exposed soil, gopher mounds	native
<i>Brachythecium salebrosum</i> (Web. & Mohr) Schimp. in B.S.G.	<i>Brachytheciaceae</i>	exposed soil, gopher mounds	native
<i>Bruchia flexuosa</i> (Schwaegr.) Müll.Hal.	<i>Bruchiaceae</i>	exposed soil, gopher mounds	native
<i>Bruchia texana</i> Aust.	<i>Bruchiaceae</i>	exposed soil, gopher mounds	native
<i>Bryum argenteum</i> Hedw.	<i>Bryaceae</i>	exposed soil, gopher mounds	native
<i>Bryum caespiticium</i> Hedw.	<i>Bryaceae</i>	exposed soil, roadbank	native
<i>Campylium chrysophyllum</i> (Brid.) J.Lange	<i>Amblystegiaceae</i>	exposed soil, gopher mounds	native
<i>Didymodon rigidulus</i> Hedw. var. <i>icmadophilus</i> (Schimp. ex Müll.Hal.) R.H.Zander [= <i>Barbula icmadophila</i> ex Müll.Hal.]	<i>Pottiaceae</i>	exposed soil, gopher mounds	native
<i>Entodon seductrix</i> (Hedw.) Müll.Hal.	<i>Entodontaceae</i>	white oak branches	native

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
<i>Ephemerum crassinervium</i> (Schwaegr.) Hampe var. <i>texanum</i> (Grout) V.S.Bryan & L.E.Anderson	<i>Ephemeraceae</i>	exposed soil, gopher mounds	native
<i>Eurhynchium hians</i> (Hedw.) Sande Lac.	<i>Brachytheciaceae</i>	exposed soil, gopher mounds	native
<i>Funaria americana</i> Lindb.	<i>Funariaceae</i>	exposed soil, roadbank	native
<i>Funaria hygrometrica</i> Hedw.	<i>Funariaceae</i>	exposed soil, gopher mounds	native
<i>Leptodictyum humile</i> (P. Beauv.) Ochyra	<i>Amblystegiaceae</i>	exposed soil, gopher mounds	native
<i>Leptodictyum riparium</i> (Hedw.) Warnst	<i>Amblystegiaceae</i>	exposed soil, gopher mounds	native
<i>Leskea gracilescens</i> Hedw.	<i>Leskeaceae</i>	white oak branches	native
<i>Lindbergia brachyptera</i> (Mitt.) Kindb.	<i>Leskeaceae</i>	white oak branches	native
<i>Orthotrichum pumilum</i> Sw.	<i>Orthotrichaceae</i>	white oak branches	native
<i>Orthotrichum pusillum</i> Mitt.	<i>Orthotrichaceae</i>	white oak branches	native
<i>Physcomitrium pyriforme</i> (Hedw.) Hampe	<i>Funariaceae</i>	exposed soil, gopher mounds	native
<i>Plagiomnium ciliare</i> (Müll.Hal.) T.Kop.	<i>Mniaceae</i>	exposed soil, gopher mounds	native
<i>Plagiomnium cuspidatum</i> (Hedw.) T.Kop.	<i>Mniaceae</i>	exposed soil, gopher mounds	native
<i>Pleuroidium subulatum</i> (Hedw.) Rabenh.	<i>Ditrichaceae</i>	exposed soil, gopher mounds	native
<i>Pylaisiella selwynii</i> (Kindb.) Crum <i>et al.</i>	<i>Hypnaceae</i>	white oak branches	native
<i>Tortula acaulon</i> (Withering) R.H.Zander [= <i>Phascum cuspidatum</i> Hedw.]	<i>Pottiaceae</i>	exposed soil, gopher mounds	native
<i>Weissia controversa</i> Hedw.	<i>Pottiaceae</i>	gopher mounds	native
<i>Weissia muhlenbergiana</i> (Swartz) W.D.Reese & B.A.E.Lemmon [= <i>Astomum muhlenbergianum</i> (Sw.) Grout]	<i>Pottiaceae</i>	gopher mounds	native
HEPATIC OR LIVERWORTS			
<i>Aneura pinguis</i> (L.) Dumort.	<i>Aneuraceae</i>	exposed soil, gopher mounds	native
<i>Frullania eboracensis</i> Gott.	<i>Jubulaceae</i>	white oak branches	native
<i>Reboulia hemispherica</i> (L.) Raddi	<i>Aytoniaceae</i>	exposed soil, roadbank	native
ANTHEROCEROTES			
<i>Phaeoceros laevis</i> (L.) Prosk.	<i>Anthocerotaceae</i>	exposed soil, gopher mounds	native
TOTAL: 35 species			
Native: 35 (100%)			
TOTAL ALL SPECIES: 400			
Native: 337 (84%)			
This list is based on my field studies from 1983 to 2011 and incorporates lists published in The Cedar County Historical Review in 1974 by Frances Frymoyer "Flowers of Rochester Cemetery" pp. 10-57) and David Lyon ("Rochester Cemetery" pp. 2-9). 'Sec.' (<i>secundum</i> =according to) indicates species not observed by me, but published by Frymoyer or Lyon,			

FLORA OF ROCHESTER CEMETERY, Cedar Co., Iowa (by species Latin name)

By Diana Horton, Ph.D., Associate Professor Emerita, University of Iowa May 2011

SPECIES LATIN NAME	SPECIES COMMON NAME	FAMILY LATIN NAME (COMMON NAME)	ORIGIN
identified by Almut G. Jones, or by others, particularly Jim Scott and Tom Cady, also R.G. Baker, M. Brown, C. Kohrt, M. O'Keefe, R.S. Rhodes & R. Thorne.			