

Household Energy Consumption, Emissions, Pollution, and Health Impacts in India

STATE

Andaman & Nicobar Island


(state and district as of census-India, 2011)

DISTRICT

South_Andaman

Household energy consumption (HEC) emissions were calculated in four classes - cooking (CK), lighting (LG), space heating (SH), and water heating (WH). Bottom-up emissions for the four classes are available @ 0.25 degree spatial resolution, and further aggregated to district and state level. A sub-classification is available by fuel - biomass, coal, kerosene, liquified petroleum gas (LPG), and others.

Emissions and Dispersion Modeling Schematics



%Households Primary Cooking Fuel

gas+elec

others


43.4%

56.6%


Estimated district annual HEC emissions

Paticulates (2.5µm)	40 tons
Sulfur dioxide	10 tons
Nitrogen oxides	5 tons
Carbon monoxide	600 tons
Hydrocarbons	80 tons
Black carbon (BC)	10 tons
Organic carbon	20 tons
Carbon dioxide (CO2)	0.01 mil tons


Estimated PM_{2.5} emissions @ 0.25 degree resolution





Modeled share of HEC emissions to ambient PM_{2.5}





DISTRICT EMISSIONS




NATIONAL EMISSIONS



CO₂



BC



% contribution of HEC emissions to modeled ambient PM_{2.5} concentrations

(concentrations were conducted using the WRF-CAMx models)

National	29.6%
District	5.3%

The health impacts of outdoor air pollution as ischemic heart diseases (which can lead to heart attacks), cerebrovascular disease (which can lead to strokes), chronic obstructive pulmonary diseases, lower respiratory infections, and cancers (in trachea, lungs, and bronchitis) were estimated using the age-dependent relative risk functions detailed in the Global Burden of Disease study and dispersion modeling results from this study. The final calculations were conducted at the district level using the population distribution by age presented in Census-India.

Estimated premature mortality of outdoor air pollution per year - apportioned to HEC emissions

National	84,000 - 115,000
District	2 - 2

Emission and dispersion modeling results, pollution animations, and summary sheets by district and state are hosted @ <http://www.urbanemissions.info> Send your comments and questions to sim-air@urbanemissions.info