Household Energy Consumption, Emissions, Pollution, and Health Impacts in India

STATE


Assam

(state and district as of census-India, 2011)

DISTRICT

Hailakandi

Household energy consumption (HEC) emissions were calculated in four classes - cooking (CK), lighting (LG), space heating (SH), and water heating (WH). Bottom-up emissions for the four classes are available @ 0.25 degree spatial resolution, and further aggregated to district and state level. A sub-classification is available by fuel - biomass, coal, kerosene, liquified petroleum gas (LPG), and others.



%Households Primary Cooking Fuel


gas+elec	others	
7.9%	92.1%	

Estimated district annual HEC emissions


Paticulates (2.5μm)	2,180	tons
Sulfur dioxide	180	tons
Nitrogen oxides	40	tons
Carbon monoxide	38,100	tons
Hydrocarbons	3,920	tons
Black carbon (BC)	540	tons
Organic carbon	900	tons
Carbon dioxide (CO2)	0.10	mil tons

Estimated PM_{2.5} emissions @ 0.25 degree resolution

Modeled share of HEC emissions to ambient PM_{2.5}







% contribution of HEC emissions to modeled ambient PM_{2.5} concentrations

(concentrations were conducted using the WRF-CAMx models)

National 29.6%

35.4%

.

District

The health impacts of outdoor air pollution as ischemic heart diseases (which can lead to heart attacks), cerebrovascular disease (which can lead to strokes), chronic obstructive pulmonary diseases, lower respiratory infections, and cancers (in trachea, lungs, and bronchitis) were estimated using the age-dependent relative risk functions detailed in the Global Burden of Disease study and dispersion modeling results from this study.

Estimated premature mortality of outdoor air pollution per year - apportioned to HEC emissions

National

District

19 - 22

84,000 -

115.000

Emission and dispersion modeling results, pollution animations, and summary sheets by district and state are hosted

@ http://www.urbanemissions.info
Send your comments and questions to sim-air@urbanemissions.info

The final calculations were conducted at the district level using

the population distribution by age presented in Census-India.