Household Energy Consumption, Emissions, Pollution, and Health Impacts in India

DISTRICT EMISSIONS

WH

STATE

Bihar

(state and district as of census-India, 2011)


DISTRICT

Aurangabad

Household energy consumption (HEC) emissions were calculated in four classes cooking (CK), lighting (LG), space heating (SH), and water heating (WH). Bottom-up emissions for the four classes are available @ 0.25 degree spatial resolution, and further aggregated to district and state level. A sub-classification is available by fuel biomass, coal, kerosene, liquified petroleum gas (LPG), and others.

WH

NATIONAL EMISSIONS




%Households Primary Cooking Fuel

| gas+elec | others |
|----------|--------|
| 6.9% | 93.1% |


Estimated district annual HEC emissions

| Paticulates (2.5μm) | 13,000 | tons |
|----------------------|---------|----------|
| Sulfur dioxide | 1,650 | tons |
| Nitrogen oxides | 255 | tons |
| Carbon monoxide | 109,200 | tons |
| Hydrocarbons | 32,360 | tons |
| Black carbon (BC) | 1,940 | tons |
| Organic carbon | 4,400 | tons |
| Carbon dioxide (CO2) | 0.30 | mil tons |

Estimated PM_{2.5} emissions @ 0.25 degree resolution Modeled share of **HEC** emissions to ambient PM_{2.5}







% contribution of HEC emissions to modeled ambient PM_{2.5} concentrations

(concentrations were conducted using the WRF-CAMx models)

National 29.6%

39.3%

District

The health impacts of outdoor air pollution as ischemic heart diseases (which can lead to heart attacks), cerebrovascular disease (which can lead to strokes), chronic obstructive pulmonary diseases, lower respiratory infections, and cancers (in trachea, lungs, and bronchitis) were estimated using the agedependent relative risk functions detailed in the Global Burden of Disease study and dispersion modeling results from this study.

The final calculations were conducted at the district level using

the population distribution by age presented in Census-India.

Estimated premature mortality of outdoor air pollution per year apportioned to **HEC** emissions

84,000 -**National** 115.000

166 - 217 District

Emission and dispersion modeling results, pollution animations, and summary sheets by district and state are hosted @ http://www.urbanemissions.info Send your comments and questions to sim-air@urbanemissions.info